

# VK-1215

## 21.5" Massive screen FHD Screen



**A+**

Grade A+ Panel  
No bad pixel



PCAP Touch



HD Resolution  
1920x1080P



Intel Celeron/I3/I5/I7 CPU  
Fanless/Fan



4G/8G/16G RAM  
DDR 3/DDR4 optional



64G SSD,128/256G  
SSD, 500G HDD  
Msata/Sata optional

# VK-1215

## 21.5" Massive screen FHD Screen



**Stable Touch**  
**Super Sensitive Touch**

High performance true flat capacitive touch screen, more smooth touch experience

**Fanless design**  
**Silent operation**

$\text{dB} < 13$



**No vents design**  
**Dust & debris resistance**



oil-proof



Dust-proof

# VK-1215

## 21.5" Massive screen FHD Screen

### Rich Interfaces



323mm

525mm

**21.5" inch  
Wild view Screen**

FHD 1920\*1080

**Universal Standard  
VESA 75/100 pattern,  
Suitable for wall mount**



# VK-1215

## 21.5" Massive screen FHD Screen

### Application Scenarios



# VK-1215

## 21.5" Massive Screen FHD Screen

<b>CPU</b>	Intel Celeron J6412( Elkhart Lake)	Intel Core i5-8260U( Coffee Lake)
<b>Display</b>	21.5"	
<b>Resolution</b>	1920*1080,16:9	
<b>Touch screen</b>	10 point Capacitive Touch	
<b>Memory</b>	8GB DDR4	
<b>SSD</b>	128GB M.2 SSD	
<b>OS support</b>	WINDOWS 10/ WINDOWS 11	
<b>Brightness</b>	350cd/square meter	
<b>Graphic Card</b>	Intel® UHD Graphics ,DirectX 12 OpenGL 4.5, 4K	
<b>Interface</b>	6*USB ;2*COM;1*HDMI;1*Audio;1*Lan	
<b>Main Material</b>	Aluminium Alloy housing	
<b>MSR</b>	Optional	
<b>Power adaptor</b>	100-240V/AC power input,DC 12V/5A	100-240V/AC power input,DC 12V/8A
<b>Net Weight</b>	5.8KG	
<b>Packaging volume</b>	58 cm *37.5 cm *11.5cm	
<b>Operating temperature</b>	0°C -60°C	
<b>Storage temperature</b>	-20°C ~75°C	



Vectronix System Inc. <http://www.vectronix.com.tw>

TEL:886-2-8227-3177 FAX:886-2-8227-3167

4F.-1, No.268, Liancheng Rd., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.)